Author Index

Abu-Rezq, T *see* Al-Abdul-Elah, K M
Adeola, A O *see* Aluko, P O
Aktas, M *see* Kumlu, M
Al-Abdul-Elah, K M, Almatar, S, Abu-Rezq, T & James, C M. Development of hatchery technology for the silver pomfret *Pampus argenteus* (Euphrasen): effect of microalgal species on larval survival, 849
Alanärä, A *see* Bailey, J
Ali, M, Cui, Y, Zhu, X & Wootton, R J. Dynamics of appetite in three fish species (*Gasterosteus aculeatus, Phoxinus phoxinus* and *Carassius auratus gibelio*) after feed deprivation, 443
Allan, G L, Johnson, R J, Booth, M A & Stone, D A J. Estimating digestible protein requirements of silver perch, *Bidyanus bidyanus* Mitchell, 337
Almatar, S *see* Al-Abdul-Elah, K M
Aluko, P O, Awopetu, J I & Adeola, A O. Genetic basis of pectoral fin deformities in the African catfish *Clarias gariepinus* (Burchell, 1822), *Heterobranchus longifilis* (Valenciennes 1840) and their hybrids, 21
Alvarez-Lajonchère, L, Guerrero-Tortolero, D & Perez-Urbiola, J C. Validation of an ovarian biopsy method in a sea bass, *Centropomus medius* Günther, 379
Amador, J *see* Gautier, D
Andrade, J P *see* Domingues, P M
Anraku, K *see* Yacoob, S Y
Appleyard, S A, Renwick, J M & Mather, P B. Individual heterozygosity levels and relative growth performance in *Oreochromis niloticus* (L.) cultured under Fijian conditions, 287
Archdale, M *see* Yacoob, S Y
Arnbjerg, J *see* Madsen, L
Åsgård, T *see* Hillestad, M
Assavaaree, M, Hagiwara, A, Ide, K, Maruyama, K & Lubzens, E. Low-temperature preservation (at 4°C) of marine rotifer *Brachionus*, 29
Athanassopoulou, F, Ragias, V, Tavla, J, Christofilogiannis, P & Liberis, N. Preliminary trials on the efficacy and toxicity of ivermectin against *Lernathropus kroyeri* Van Beneden, 1851 in cultured sea bass *Dicentrarchus labrax* L., 77
Awopetu, J I *see* Aluko, P O
Azim, M E, Wahab, M A, van Dam, A A, Beveridge, M C M & Verdegem, M C J. The potential of periphyton-based culture of two Indian major carps, rohu *Labeo rohita* (Hamilton) and gonia *Labeo gonius* (Linnaeus), 209
Azim, M E, Wahab, M A, van Dam, A A, Beveridge, M C M, Milstein, A & Verdegem, M C J. Optimization of fertilization rate for maximizing periphyton production on artificial substrates and the implications for periphyton-based aquaculture, 749

Babarro, J M F, Fernández Reiriz, M J & Labarta, U. Influence of preservation techniques and freezing storage time on biochemical composition and spectrum of fatty acids of *Isochrysis galbana* clone T-ISO, 565
Bailey, J & Alanärä, A. A test of a feed budget model for rainbow trout, *Oncorhynchus mykiss* (Walbaum), 465
Baird, D J *see* Keshavanath, P
de la Banda, I G *see* Chereguini, O
Bang, I C *see* Kim, D S
Barcellos, L J G, Woehl, V M, Wassermann, G F, Quevedo, R M, Ittzés, I & Krieger, M H. Plasma levels of cortisol and glucose in response to capture and tank transference in *Rhamdia quelen* (Quoy & Gaimard), a South American catfish, 121
Barik, S K, Purushothaman, C S & Mohanty, A N. Phosphatase activity with reference to bacteria and phosphorus in tropical freshwater aquaculture pond systems, 819
de Barniol, L *see* Jimenez, R
Barniol, R *see* Jimenez, R
Barrows, F T *see* Zhu, S
Bascinar, N *see* Okumus, I
Bastidas, L *see* Wouters, R
Beauchaud, M *see* Petit, G
Beveridge, M C M *see* Azim, M E
Beveridge, M C M *see* Hossain, M A R
Beveridge, M C M *see* Keshavanath, P
Bjørn, P A, Finstad, B & Kristoffersen, R. Salmon lice infection of wild sea trout and Arctic char in marine and freshwaters: the effects of salmon farms, 947
Blanc, J M, Poisson, H & Vallée, F. Covariation between diploid and triploid progenies from common breeders in rainbow trout, *Oncorhynchus mykiss* (Walbaum), 507
Booth, M A *see* Allan, G L
Boraston, J *see* Grove, D
Boxaspen, K & Holm, J C. The development of pyrethrum-based treatments against the ectoparasitic salmon lice *Lepeophtheirus salmonis* in sea cage rearing of atlantic salmon *Salmo salar* L., 701
Bozhok, G A *see* Dzuba, B B
Brito, R, Rosas, C, Chimal, M E & Gaxiola, G. Effect of different diets on growth and digestive enzyme activity in *Litopenaeus vannamei* (Boone, 1931) early post-larvae, 257
Britz, P J *see* Sales, J
Britz, P J *see* Shipton, T A
Brzuska, E. Artificial spawning of carp (*Cyprinus carpio* L.): the use of Aquaspawn and carp pituitary to induce ovulation in females of Lithuanian line B, 357
Brzuska, E. Artificial spawning of European catfish *Silurus glanis* L.: differences between propagation results after stimulation of ovulation with carp pituitary and Ovopel, 11
Bui, A T *see* Nguyen, S H
Buisson, B *see* Petit, G
Bunting, S W. Appropriation of environmental goods and services by aquaculture: a reassessment employing the

© 2001 Blackwell Science Ltd

ecological footprint methodology and implications for horizontal integration, 605
Buttle, L G, Crampton, V O & Williams, P D. The effect of feed pigment type on flesh pigment deposition and colour in farmed Atlantic salmon, *Salmo salar* L., 103

Calderón, J *see* Wouters, R
Campbell, R E, Lilley, J H, Taukhid, V, Panyawachira, S & Kanchanakhan, S. *In vitro* screening of novel treatments for *Aphanomyces invadans*, 223
Cárcamo, C *see* Pérez, L A
Caricato, G *see* Cecchini, S
Carneiro, P C F & Urbinati, E C. Salt as a stress response mitigator of matrinxã *Brycon cephalus* (Günther), during transport, 297
Catacutan, M R, Pagador, G E & Teshima, S. Effect of dietary protein and lipid levels and protein to energy ratios on growth, survival, and body composition of the mangrove red snapper, *Lutjanus argentimaculatus* (Forsskal 1775), 811
Cecchini, S, Saroglia, M, Caricato, G, Terova, G & Sileo, L. Effects of graded environmental hypercapnia on sea bass (*Dicentrarchus labrax* L.) feed intake and acid-base balance, 499
Chaitanawisuti, N, Kritsanapuntu, A, Kathinmai, S & Natsukari, Y. Growth trials for polyculture of hatchery-reared juvenile spotted babylon (*Babylonia areolata*) and sea bass (*Lates calcarifer*) in a flow-through seawater system, 247
Chaitanawisuti, N, Kritsanapuntu, A., Natsukari, Y. & Kathinmai, S. Effects of feeding rates on the growth, survival and feed utilization of hatchery-reared juvenile spotted babylon *Babylonia areolata* Link 1807 in a flowthrough seawater system, 689
Chen, S. *see* Zhu, S.
Chereguini, O, G De La Banda, I, Rasines, I & Fernandez, A. Larval growth of turbot, *Scophthalmus maximus* (L.) produced with fresh and cryopreserved sperm, 133
Chim, L, Lemaire, P., Delaporte, M, Le Moullac, G, Galois, R & Martin, J L M. Could a diet enriched with n-3 highly unsaturated fatty acids be considered a promising way to enhance the immune defences and the resistance of *Penaeid* prawns to environmental stress?, 91
Chimal, M E *see* Brito, R
Chingjiang, W *see* Hongtuo, F
Cho, H J *see* Kim, D S
Cho, H J *see* Nam, Y K
Cho, S H, Hur, S B & Jo, J-Y. Effect of enriched live feeds on survival and growth rates in larval Korean rockfish, *Sebastes schlegeli* Hilgendorf, 199
Cho, S H, Jo, J-Y & Kim, D S. Effects of variable feed allowance with constant energy and ratio of energy to protein in a diet for constant protein input on the growth of common carp *Cyprinus carpio* L., 349
Choi, G C *see* Kim, D S
Choi, G C *see* Nam, Y K
Christofilogiannis, P *see* Athanassopoulou, F
Ciereszko, A *see* Dabrowski, K
Collins, R A *see* Ingram, B A
Condon, C *see* Edwards, S
Crampton, V O *see* Buttle, L G
Cui, Y *see* Ali, M
Cunha, L M *see* Valente, L M P
Cuzon, G *see* Rosas, C

Dabrowski, K & Ciereszko, A. Ascorbic acid and reproduction in fish: endocrine regulation and gamete quality, 623
Dalsgaard, I *see* Madsen, L
van Dam, A A *see* Azim, M E
van Dam, A A *see* Keshavanath, P
Das, K, Mahapatra, B, Gjerde, P V G K, Reddy, M, Sahoo, R K, Jana, J N, Saha, M & Rye, M. Tagging: on the use of passive integrated transponder (PIT) tags for the identification of fish, 47
De Silva, S S *see* Ingram, B A
De Silva, S S *see* Nguyen, S H
Delaporte, M *see* Chim, L
Deudero, S & Morales-Nin, B. Prey selectivity in planktivorous juvenile fishes associated with floating objects in the western Mediterranean, 481
Devaraja, T N *see* Shariff, M
Díaz, N F *see* Pérez, L A
Divakaran, S *see* Moss, S M
Domingues, P M, Kingston, T, Sykes, A & Andrade, J P. Growth of young cuttlefish, *Sepia officinalis* (Linnaeus 1758) at the upper end of the biological distribution temperature range, 923
Domingues, P M, Turk, P E, Andrade, J P & Lee, P G. Effects of enriched *Artemia* nauplii on production, survival and growth of the mysid shrimp *Mysidopsis almyra* Bowman 1964 (Crustacea: Mysidacea), 599
Dong, F M *see* Sugiura, S H
Duncan, P F *see* Hewitt, D R
Dzuba, B B, Bozhok, G A & Rudenko, S V. A study of the dynamics of volume changes during the period of active motility in carp, *Cyprinus carpio* L., spermatozoa, 51

Edwards, S & Condon, C. Digestive protease characterization, localization and adaptation in blacklip abalone (*Haliotis rubra* Leach), 95
Ekli, M *see* Johansen, S J S
Eroldogan, O T *see* Kumlu, M
Espelid, S *see* Lodemel, J B

Falk-Petersen, *see* Hansen, T K
Farkas, T, Fodor, E, Kitajka, K & Halver, J E. Response of fish membranes to environmental temperature, 645
Fauconneau, B *see* Valente, L M P
Fernández Reiriz, M J *see* Babarro, J M F
Fernandez, A *see* Chereguini, O
Fernández-Palacios, H *see* Tort, L
Fijan, N. Fish nutrition and the International Union of Nutritional Sciences: forming links worldwide, 657
Finstad, B *see* Bjørn, P A
Finstad, B *see* Sandodden, R
Fodor, E *see* Farkas, T

Gabaudan, J *see* Sugiura, S H
Gallardo, W G, Hagiwara, A & Snell, T W. Use of GABA to enhance rotifer reproduction in enrichment culture, 243
Galois, R *see* Chim, L
Gangadhar, B *see* Keshavanath, P

© 2001 Blackwell Science Ltd.

Gautier, D, Amador, J & Newmark, F. The use of mangrove wetland as a biofilter to treat shrimp pond effluents: preliminary results of an experiment on the Caribbean coast of Colombia, 787
Gaxiola, G *see* Brito, R
Gaxiola, G *see* Rosas, C
Genna, R *see* Grove, D
Gichuri, W M *see* Omondi, J G
Gjerde, P V G K *see* Das, K
Gooley, G J *see* Ingram, B A
Gopakumar, K *see* Lalitha, K V
Goulletquer, P *see* Turpin, V
Grove, D J *see* Ruohonen, K
Grove, D, Genna, R, Paralika, V, Boraston, J, Hornyold, M G & Siemens, R. Effects of dietary water content on meal size, daily food intake, digestion and growth in turbot, *Scophthalmus maximus* (L.), 433
Guerrero-Tortolero, D *see* Alvarez-Lajonchère, L

Hafsteinsson, H *see* Sigurgisladottir, S
Hagiwara, A *see* Assavaaree, M
Hagiwara, A *see* Gallardo, W G
Halver, J E *see* Farkas, T
Halver, J E, Editorial, 611
Halver, J E, My 50 years in fish nutrition 1949–99, 615
Hamre, K *see* Naess, T
Hansen, T K & Falk-Petersen, I B. The influence of rearing temperature on early development and growth of spotted wolffish *Anarhichas minor* (Olafsen), 369
Hardy, R W *see* Overturf, K
Hardy, R W *see* Sugiura, S H
Hardy, R.W *see* Zhu, S,
Harlioğlu, M M & Holdich, D M, Meat yields in the introduced freshwater crayfish, *Pacifastacus leniusculus* (Dana) and *Astacus leptodactylus* Eschscholtz, from British waters, 411
Harpaz, S, Jiang, H & Sklan, D, Evaluation of silver perch (*Bidyanus bidyanus*, Mitchell) nutritional requirements during grow-out with high and low protein diets at two feeding levels, 57
Haylor, G S *see* Hossain, M A R
Hershberger, W K *see* Myers, J M
Hewitt, D R & Duncan, P F. Effect of high water temperature on the survival, moulting and food consumption of *Penaeus (Marsupenaeus) japonicus* (Bate, 1888), 305
Hickman, R W & Tait, M J, Experimental rearing of juvenile New Zealand turbot *Colistium nudipinnis* (Waite 1910): a potential new aquaculture species, 727
Hickman, R W *see* Tait, M J
Hillestad, M, Johnsen, F & Åsgård, T, Protein to carbohydrate ratio in high-energy diets for Atlantic salmon (*Salmo salar* L.), 517
Holdich, D M *see* Harlioğlu, M M
Holm, J C *see* Boxaspen, K
Holm, J C *see* Naess, T
Hongtuo, F & Chingjiang, W, Nuclear transfer in loach (*Paramisgurnus dabryanus* Sauvage) by cell-to-cell electrofusion, 267
Hornyold, M G *see* Grove, D
Hossain, M A R, Haylor, G S & Beveridge, M C M, Effect of feeding time and frequency on the growth and feed utilization of African catfish *Clarias gariepinus* (Burchell 1822) fingerlings, 999
Huang, C-H, Shyong, W-J & Lin, W-Y, Dietary lipid supplementation affects the body fatty acid composition but not the growth of juvenile river chub, *Zacco barbata* (Regan), 1005
Hur, S B *see* Cho, S H

Ibrahim, A *see* Shaik Mohamed, J
Ibrahim, C O *see* Lim, H-A
Ide, K *see* Assavaaree, M
Im, J H *see* Nam, Y K
Ingram, B A, Gooley, G J, De Silva, S S, Larkin, B J & Collins, R A, Preliminary observations on the tank and pond culture of the glass eels of the Australian shortfin eel, *Anguilla australis* Richardson, 833
Ingvarsdottir, H *see* Sigurgisladottir, S
Ittzés, I *see* Barcellos, L J G
Iversen, M *see* Sandodden, R
Iwamoto, R N *see* Myers, J M
Izquierdo, M S *see* Tort, L

James, C M *see* Al-Abdul-Elah, K M
Jana, J N *see* Das, K
Jayasree-Vadhyar, K *see* Salin, K R
Jiang, H *see* Harpaz, S
Jimenez, R, Barniol, R, de Barniol, L & Machuca, M, A dual infection by infectious cuticular epithelial necrosis virus and a *Chlamydia*-like organism in cultured *Litopenaeus vannamei* (Boone) in Ecuador, 875
Jo, J-Y *see* Cho, S H
Jobling, M *see* Johansen, S J S
Jobling, M *see* Sæther, B-S
Jobling, M, Editorial, 419
Johansen, S J S, Ekli, M, Stangnes, B & Jobling, M, Weight gain and lipid deposition in Atlantic salmon, *Salmo salar*, during compensatory growth: evidence for lipostatic regulation?, 963
Johnsen, F *see* Hillestad, M
Johnson, R J *see* Allan, G L
Jorstad, K E *see* van der Meeren, T
Juell, J-E & Lekang, O I, The effect of feed supply rate on growth of juvenile perch (*Perca fluviatilis*), 459

Kanchanakhan, S *see* Campbell, R E
Karlsen, Ø & Mangor-Jensen, A, A correlation between phototactic response and first-feeding of Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae, 907
Kashiwagi, M *see* Ohta, H
Kathinmai, S *see* Chaitanawisuti, N
Kawamura, G *see* Yacoob, S Y
Keshavanath, P, Gangadhar, B, Ramesh, T J, van Rooij, J M, Beveridge, M C M, Baird, D J, Verdegem, M C J & van Dam, A A, Use of artificial substrates to enhance production of freshwater herbivorous fish in pond culture, 189
Kim, B G *see* Moss, S M
Kim, D S *see* Cho, S H
Kim, D S *see* Nam, Y K
Kim, D S, Cho, H J, Bang, I C, Choi, G C & Nam, Y K, Effects of immersion of larvae in oestradiol-17β on feminization, structural changes of gonad and growth

performance in the Far Eastern catfish *Silurus asotus* (Linnaeus), 323
Kingston, T *see* Domingues, P M
Kitajka, K *see* Farkas, T
Krieger, M H *see* Barcellos, L J G
Kristoffersen, R *see* Bjørn, P A
Kritsanapuntu, A *see* Chaitanawisuti, N
Kryvi, H *see* Olsen, R E
Kumlu, M, Eroldogan, O T, Aktas, M & Sağlamtimur, B. Larval growth, survival and development of *Metapenaeus monoceros* (Fabricius) cultured in different salinities, 81

Labarta, U *see* Babarro, J M F
Lal, S N *see* Mather, P B
Lalitha, K V & Gopakumar, K. Sensitivity of Tilapia (*Oreochromis mossambicus*) to *Clostridium botulinum* toxins, 761
Larkin, B J *see* Ingram, B A
Le Moullac, G *see* Chim, L
Le, L T *see* Nguyen, S H
Lee, P G *see* Domingues, P M
Lekang, O I *see* Juell, J-E
Lemaire, P, *see* Chim, L
Liberis, N *see* Athanassopoulou, F
Lilley, J H *see* Campbell, R E
Lim, H-A, Ng, W-K, Lim, S-L & Ibrahim, C O. Contamination of palm kernel meal with *Aspergillus flavus* affects its nutritive value in pelleted feed for tilapia, *Oreochromis mossambicus*, 895
Lim, S-L *see* Lim, H-A
Lin, W-Y *see* Huang, C-H
Little, D C *see* MacNiven, A M
Little, D C *see* Smart, T S
Lodemel, J B, Mayhew, T M, Myklebust, R, Olsen, R E, Espelid, S & Ringo, E. Effect of three dietary oils on disease susceptibility in Arctic charr (*Salvelinus alpinus* L.) during cohabitant challenge with *Aeromonas salmonicida* ssp. *salmonicida*, 935
Lubzens, E *see* Assavaaree, M
Luzzana, U. Recent advances in the development of innovative chemical methods for determining the nutritional value of fish meals and aquafeeds, 661
Lyytikäinen, T & Ruohonen, K. The acute effect of cortisol implant on self-feeding activity of rainbow trout *Oncorhynchus mykiss* (Walbaum), 503

Machuca, M *see* Jimenez, R
MacNiven, A M & Little, D C. Development and evaluation of a stress challenge testing methodology for assessment of Nile tilapia (*Oreochromis niloticus*, Linn.) fry quality, 671
Madsen, L, Arnbjerg, J & Dalsgaard, I. Radiological examination of the spinal column in farmed rainbow trout *Oncorhynchus mykiss* (Walbaum): experiments with *Flavobacterium psychrophilum* and oxytetracycline, 235
Mahapatra, B *see* Das, K
Mangor-Jensen, A *see* Karlsen, Ø
Martin, J L M *see* Chim, L
Martin-Robichaud, D J & Rommens, M. Assessment of sex and evaluation of ovarian maturation of fish using ultrasonography, 113
Marui, T *see* Yacoob, S Y
Maruyama, K *see* Assavaaree, M
Massé, G *see* Turpin, V
Mather, P B *see* Appleyard, S A
Mather, P B, Lal, S N & Wilson, J. Experimental evaluation of mass selection to improve red body colour in Fijian hybrid tilapia (*Oreochromis niloticus* × *Oreochromis mossambicus*), 329
Matsuoka, T *see* Yacoob, S Y
Mayhew, T M *see* Lodemel, J B
Mayhew, T M *see* Olsen, R E
van der Meeren, T & Jørstad, K E. Growth and survival of Arcto-Norwegian and Norwegian coastal cod larvae (*Gadus morhua L.*) reared together in mesocosms under different light regimes, 549
Meinelt, T, Playle, R, Schreckenbach, K & Pietrock, M. The toxicity of the antiparasitic mixture FMC is changed by humic substances and calcium, 405
Milstein, A *see* Azim, M E
Mohanty, A N *see* Barik, S K
Montero, D *see* Tort, L
Morales-Nin, B *see* Deudero, S
Moss, S M, Divakaran, S & Kim, B G. Stimulating effects of pond water on digestive enzyme activity in the Pacific white shrimp, *Litopenaeus vannamei* (Boone), 125
Mukherjee, D *see* Satpathy, B B
Myers, J M, Hershberger, W K, Saxton, A M & Iwamoto, R N. Estimates of genetic and phenotypic parameters for length and weight of marine net-pen reared coho salmon (*Oncorhynchus kisutch* Walbaum), 277
Myklebust, R *see* Lodemel, J B
Myklebust, R *see* Olsen, R E

Naess, T, Hamre, K & Holm, J C. Successful early weaning of Atlantic halibut (*Hippoglossus hippoglossus* L.) in small shallow raceway systems, 163
Nakamura, K & Vazquez Archdale, M. Activity patterns of abalone under experimental conditions, 169
Nam, C Q *see* Vromant, N
Nam, Y K *see* Kim, D S
Nam, Y K, Cho, H J, Im, J H, Park, I-S, Choi, G C & Kim, D S. Production of all-female diploid and tirploid far eastern catfish, *Silurus asotus* (Linnaeus): survival and growth performance, 991
Natsukari, Y *see* Chaitanawisuti, N
Newmark, F *see* Gautier, D
Ng, W-K *see* Lim, H-A
Nguyen, S H, Bui, A T, Le, L T, Nguyen, T T T & De Silva, S S. The culture-based fisheries in small, farmer-managed reservoirs in two Provinces of northern Vietnam: an evaluation based on three production cycles, 975
Nguyen, T T T *see* Nguyen, S H

Ohta, H, Unuma, T, Tsuji, M, Yoshioka, M & Kashiwagi, M. Effects of bicarbonate ions and pH on acquisition and maintenance of potential for motility in ayu, *Plecoglossus altivelis* Temminck et Schlegel (Osmeridae), spermatozoa, 385
Okumus, I & Bascinar, N. The effect of different numbers of feeding days on feed consumption and growth of rainbow trout [*Oncorhynchus mykiss* (Walbaum)], 365
Ollevier, F *see* Vromant, N

© 2001 Blackwell Science Ltd.

Olsen, R E *see* Lødemel, J B
Olsen, R E, Myklebust, R, Kryvi, H, Mayhew, T M & Ringø, E. Damaging effect of dietary insulin on intestinal enterocytes in Arctic charr (*Salvelinus alpinus* L.), 931
Omondi, J G, Gichuri, W M & Veverica, K. A partial economic analysis for Nile tilapia *Oreochromis niloticus* L. and sharptoothed catfish *Clarias gariepinus* (Burchell 1822) polyculture in central Kenya, 693
Omoregie, E. Utilization and nutrient digestibility of mango seeds and palm kernel meal by juvenile *Labeo senegalensis* (Antheriniformes: Cyprinidae), 681
Overturf, K & Hardy, R W. Myosin expression levels in trout muscle: a new method for monitoring specific growth rates for rainbow trout *Oncorhynchus mykiss* (Walbaum) on varied planes of nutrition, 315

Pagador, G E *see* Catacutan, M R
Panyawachira, S *see* Campbell, R E
Paralika, V *see* Grove, D
Park, I-S *see* Nam, Y K
Pascual, C *see* Rosas, C
Pérez, L A, Winkler, F M, Díaz, N F, Cárcamo, C & Silva, N. Genetic variability in four hatchery strains of coho salmon, *Oncorhynchus kisutch* (Walbaum), in Chile, 41
Perez-Urbiola, J C *see* Alvarez-Lajonchère, L
Petit, G, Beauchaud, M & Buisson, B. Density effects on food intake and growth of largemouth bass (*Micropterus salmoïdes*), 495
Pietrock, M *see* Meinelt, T
Piguave, X *see* Wouters, R
Playle, R *see* Meinelt, T
Poisson, H *see* Blanc, J M
Purushothaman, C S *see* Barik, S K

Quevedo, R M *see* Barcellos, L J G

Ragias, V *see* Athanassopoulou, F
Ramesh, T J *see* Keshavanath, P
Rasines, I *see* Chereguini, O
Rasmussen, R S. Quality of farmed salmonids with emphasis on proximate composition, yield and sensory characteristics – a review, 767
Raubenheimer, D *see* Simpson, S J
Ray, A K *see* Satpathy, B B
Reddy, M *see* Das, K
Renwick, J M *see* Appleyard, S A
Riley, J *see* Smart, T S
Ringo, E *see* Lødemel, J B
Ringo, E *see* Olsen, R E
Robaina, L *see* Tort, L
Robert, J-M *see* Turpin, V
Rommens, M, *see* Martin-Robichaud, D J
van Rooij, J M *see* Keshavanath, P
Rosa, P *see* Turpin, V
Rosas, C *see* Brito, R
Rosas, C, Cuzon, G, Taboada, G, Pascual, C, Gaxiola, G & Van Wormhoudt, A. Effect of dietary protein and energy levels on growth, oxygen consumption, haemolymph and digestive gland carbohydrates, nitrogen excretion and osmotic pressure of *Litopenaeus vannamei* (Boone) and *L. setiferus* (Linne) juveniles (Crustacea, Decapoda: Penaeidae), 531
Rudenko, S V *see* Dzuba, B B
Ruohonen, K & Grove, D J. *In situ* study of gastric emptying using X-radiography and macrocapsules, 491
Ruohonen, K *see* Lyytikäinen, T
Rye, M *see* Das, K

Sağlamtimur, B *see* Kumlu, M
Sæther, B-S & Jobling, M. Fat content in turbot feed: influence on feed intake, growth and body composition, 451
Saglio, P *see* Valente, L M P
Saha, M *see* Das, K
Sahoo, R K *see* Das, K
Sales, J & Britz, P J. Research on abalone (*Haliotis midae* L.) cultivation in South Africa – a review, 863
Salin, K R & Jayasree-Vadhyar, K. Effect of different chilling rates for cold anaesthetization of *Penaeus monodon* (Fabricius) on the survival, duration and sensory quality under live storage in chilled sawdust, 145
Sandodden, R, Finstad, B & Iversen, M. Transport stress in Atlantic salmon (*Salmo salar L.*): anaesthesia and recovery, 87
Saroglia, M *see* Cecchini, S
Satpathy, B B, Mukherjee, D & Ray, A K. Effects of dietary inclusion of the beta-adrenergic agonist, salbutamol, on growth performance and whole-body composition of rohu *Labeo rohita* (Hamilton) fingerlings fed diets containing two protein levels, 739
Saxton, A M *see* Myers, J M
Schreckenbach, K *see* Meinelt, T
Shaik Mohamed, J & Ibrahim, A. Quantifying the dietary niacin requirement of the Indian catfish, *Heteropneustes fossilis* (Bloch), fingerlings, 157
Shaik Mohamed, J. Dietary biotin requirement determined for Indian catfish, *Heteropneustes fossilis* (Bloch), fingerlings, 709
Shariff, M, Yusoff, F M, Devaraja, T N & Srinivasa Rao, P S. The effectiveness of a commercial microbial product in poorly prepared tiger shrimp, *Penaeus monodon* (Fabricius), ponds, 181
Shiau, S-Y. Applications of fish nutrition research in aquaculture: the Taiwan experience, 639
Shipton, T A & Britz, P J. The effect of animal size on the ability of *Haliotis midae* L. to utilize selected dietary protein sources, 393
Shyong, W-J *see* Huang, C-H
Siemens, R *see* Grove, D
Sigurdardottir, M S *see* Sigurgisladottir, S S
Sigurgisladottir, S S, Sigurdardottir, M S, Ingvarsdottir, H, Torrissen, O J & Hafsteinsson, H. Microstructure and texture of fresh and smoked Atlantic salmon, *Salmo Salar* L., fillets from fish reared and slaughtered under different conditions, 1
Sileo, L *see* Cecchini, S
Silva, N *see* Pérez, L A
Simpson, S J & Raubenheimer, D. A framework for the study of macronutrient intake in fish, 421
Sklan, D *see* Harpaz, S
Smart, T S, Riley, J & Little, D C. Statistical aspects of aquaculture research: optimum block size in pond experiments, 65
Snell, T W *see* Gallardo, W G

Sorgeloos, P *see* Wouters, R
Srinivasa Rao, P S *see* Shariff, M
Stangnes, B *see* Johansen, S J S
Staurnes, M. Differences between Atlantic halibut (*Hippoglossus hippoglossus* L.) and turbot (*Scophthalmus maximus* L.) in tolerance to acute low temperature exposure, 251
Stone, D A J *see* Allan, G L
Sugiura, S H, Gabaudan, J, Dong, F M & Hardy, R W. Dietary microbial phytase supplementation and the utilization of phosphorus, trace minerals and protein by rainbow trout [*Oncorhynchus mykiss* (Walbaum)] fed soybean meal-based diets, 583
Sykes, A *see* Domingues, P M

Taboada, G *see* Rosas, C
Tait, M J & Hickman, R W. Reproduction, gamete supply and larval rearing of New Zealand turbot *Colistium nudipinnis* (Waite 1910) and brill *Colistium guntheri* (Hutton 1873): potential new aquaculture species, 717
Tait, M J *see* Hickman, R W
Taukhid, V *see* Campbell, R E
Tavla, J *see* Athanassopoulou, F
Terova, G *see* Cecchini, S
Teshima, S *see* Catacutan, M R
Torrissen, O J *see* Sigurgisladottir, S
Tort, L, Montero, D, Robaina, L, Fernández-Palacios, H & Izquierdo, M S. Consistency of stress response to repeated handling in the gilthead sea bream *Sparus aurata* Linnaeus, 1758, 593
Tsuji, M *see* Ohta, H
Turk, P E *see* Domingues, P M
Turpin, V, Robert, J-M, Goulletquer, P, Massé, G & Rosa, P. Oyster greening by outdoor mass culture of the diatom *Haslea ostrearia* Simonsen in enriched seawater, 801

Unuma, T *see* Ohta, H
Urbinati, E C *see* Carneiro, P C F

Valente, L M P, Saglio, P, Cunha, L M & Fauconneau, B. Feeding behaviour of fast- and slow-growing strains of rainbow trout, *Oncorhynchus mykiss* (Walbaum), during first feeding, 471
Vallée, F *see* Blanc, J M
Van Wormhoudt, A *see* Rosas, C
Vazquez Archdale, M *see* Nakamura, K
Vazquez, M *see* Yacoob, S Y
Verdegem, M C J *see* Azim, M E
Verdegem, M C J *see* Keshavanath, P
Veverica, K *see* Omondi, J G
Vromant, N, Nam, C Q & Ollevier, F. Growth performance of *Trichogaster pectoralis* Regan in intensively cultivated rice fields, 913

Wahab, M A *see* Azim, M E
Wassermann, G F *see* Barcellos, L J G
Williams, P D *see* Buttle, L G
Wilson, J *see* Mather, P B
Winkler, F M *see* Pérez, L A
Woehl, V M *see* Barcellos, L J G
Wootton, R J *see* Ali, M
Wouters, R, Piguave, X, Bastidas, L, Calderón, J & Sorgeloos, P. Ovarian maturation and haemolymphatic vitellogenin concentration of Pacific white shrimp *Litopenaeus vannamei* (Boone) fed increasing levels of total dietary lipids and HUFA, 573

Yacoob, S Y, Anraku, K, Marui, T, Matsuoka, T, Kawamura, G, Vazquez, M & Archdale, M. Gustatory sensitivity of the external taste buds of *Oreochromis niloticus* L. to amino acids, 217
Yoshioka, M *see* Ohta, H
Yusoff, F M *see* Shariff, M

Zhu, S., Chen, S., Hardy, R.W & Barrows, F T. Digestibility, growth and excretion response of rainbow trout (*Oncorhynchus mykiss* Walbaum) to feeds of different ingredient particle sizes, 885
Zhu, X *see* Ali, M

Subject Index

Abalone
  blacklip, digestive protease, 95
  Japanese, activity patterns, 169
  South African
    effect of protein source on growth, 393
    research on cultivation, 863
Acid-base balance, environmental hypercapnia in sea bass, 499
β-Adrenergic agonist, in rohu fingerlings diets, 739
Aeromonas salmonicida ssp. *salmonicida*, disease susceptibility of Arctic charr, 935
Aflatoxin, effects of contaminated feed on tilapia, 895
Aggression, feeding behaviour of trout strains, 471
Algae
  biochemistry of T-ISO after preservation and storage, 565
  diets and digestive enzyme activity in shrimp, 257
  in hatchery technology for silver pomfret, 849
  outdoor mass culture of *H. ostrearia*, 801
Amino acids, gustatory responses of Nile tilapia, 217
Anaesthesia
  cold, and transport of live shrimp, 145
  transport stress in Atlantic salmon, 87
Anarhichas minor (Olafsen) *see* Wolffish, spotted
Anguilla australis (Richardson) *see* Eel, Australian shortfin
Aphanomyces invadans, novel treatments for, 223
Appetite
  dynamics after feed deprivation, 443
  turbot, effects of dietary water, 433
Aquaculture
  abalone in South Africa, 863
  applications of fish nutrition in Taiwan, 639
  appropriation of environmental goods and services, 605
  historical aspects, 615
  potential new species, 717, 727
  priorities for research, 611
Aquaspawn, in artificial spawning of carp, 357
Artemia nauplii
  diets and digestive enzyme activity in shrimp, 257
  enriched, in culture of mysids, 599
  in enriched live feeds, 199
Arystichthys nobilis see Carp, bighead
Ascorbic acid and reproduction, 623
Aspergillus flavus, effects of contaminated feed on tilapia, 895
Astacus leptodactylus (Eschscholtz) *see* Crayfish, freshwater
Astaxanthin, pigment content and colour in Atlantic salmon, 103
Australia, shortfin eels in tank and pond culture, 833
Ayu, control of motility in sperm, 385

Babylonia areolata see Babylon, spotted
Babylon, spotted
  effects of feeding rate, 689
  in polyculture with sea bass, 247
Bacteria
  phosphatase activity in pond systems, 819
  see also specific organisms
Bass
  largemouth, density effects, 495
  see also Sea bass
Bicarbonate ions, and motility of ayu sperm, 385
Bidyanus bidyanus (Mitchell) *see* Perch, silver
Biochemistry, T-ISO, after preservation and storage, 565
Biofilter, mangrove wetland and shrimp pond effluent, 787
Bioremediation, effectiveness in shrimp ponds, 181
Biotin requirement of Indian catfish, 709
Block size, statistical aspects, 65
Body composition
  dietary protein/energy levels for red snapper, 811
  proximate
    compensatory growth in Atlantic salmon, 963
    quality of farmed salmonids, 767
  river chub, dietary lipid supplementation, 1005
  rohu, beta-adrenergic agonist in diets, 739
  turbot, influence of fat content in feed, 451
Brachionus plicatilis see Rotifers
Brachionus rotundiformis see Rotifers
Brill, aquaculture potential, 717
Britain, meat yields from freshwater crayfish, 411
Brycon cephalus (Günther) *see* Matrinxã

Cage rearing, pyrethrum-based delousing treatments, 701
Calcium, and toxicity of antiparasitic mixture FMC, 405
Canthaxanthin, pigment content and colour in Atlantic salmon, 103
Carassius auratus gibelio see Carp, gibel
Carbohydrate/protein ratio in high-energy diets, 517
Carp
  bighead, culture-based fisheries in Vietnam, 975
  common
    artificial spawning, 357
    culture-based fisheries in Vietnam, 975
    energy/protein ratio and growth, 349
    Lithuanian line B, 357
    spermatozoa volume dynamics, 51
  gibel, dynamics of appetite, 443
  grass, culture-based fisheries in Vietnam, 975
  Indian major
    beta-adrenergic agonist in fingerlings diets, 739
    culture-based fisheries in Vietnam, 975
    periphyton-based culture, 209
    PIT tags for identification, 47
  silver, culture-based fisheries in Vietnam, 975
Catfish
  African
    effects of feeding time and frequency, 999
    pectoral fin deformities, 21
    polyculture with tilapia, 693
  European, artificial spawning, 11
  Far Eastern
    feminization, 323
    production of all-female diploid and triploid, 991
  hybrid, pectoral fin deformities, 21
  Indian
    dietary biotin requirement, 709
    dietary niacin requirement, 157
  South American, stress response, 121
Centropomus medius (Günther), ovarian biopsy method, 379
Charr, Arctic
  dietary inulin and intestinal enterocytes, 931

© 2001 Blackwell Science Ltd

effect of dietary oils on disease susceptibility, 935
effects of salmon lice infection, 947
Chile, genetic variability in coho salmon, 41
Chlamydia-like organism, dual infection in shrimp, 875
Chub, river, dietary lipid supplementation, 1005
Cirrihinus mrigala see Carp, Indian major
Clarias gariepinus (Burchell) *see* Catfish, African
Clostridium botulinum toxins, sensitivity of tilapia, 761
Cod, Atlantic, growth and survival, 549
Colistium guntheri (Hutton) *see* Brill
Colistium nudipinnis (Waite) *see* Turbot, New Zealand
Colombia, use of mangrove to treat shrimp pond effluent, 787
Colour quality in tilapia, 329
Copepods, efficacy of ivermectin against *L. kroyeri*, 77
Cortisol
effect on self-feeding activity, 503
stress response in South American catfish, 121
Crayfish, freshwater, meat yields from British waters, 411
Cryopreservation of gametes, larval growth of turbot, 133
Ctenopharyngodon idella see Carp, grass
Culture methods
culture-based fisheries in reservoirs in Vietnam, 975
early weaning of Atlantic halibut, 163
hatchery technology for silver pomfret, 849
low-temperature preservation of rotifers, 29
microstructure and texture of Atlantic salmon fillets, 1
outdoor mass culture of *H. ostrearia*, 801
periphyton-based, 189, 209, 749
polyculture *see* Polyculture
small raceway systems, 163
T. pectoralis in rice fields, 913
Cuttlefish growth, feeding rates and feed conversion, 923
Cyprinus carpio L. *see* Carp, common

Danio rerio (Hamilton-Buchanan) *see* Zebrafish
Diatoms, outdoor mass culture of *H. ostrearia*, 801
Dicentrarchus labrax L. *see* Sea bass
Diet
aquafeeds, determining nutritional value, 661
Arctic charr
dietary oils and disease susceptibility, 935
effect of inulin on intestinal enterocytes, 931
Atlantic salmon, protein/carbohydrate ratio, 517
catfish, niacin requirement, 157
common carp, energy/protein ratio and growth, 349
energy/protein ratio and growth, 349, 517, 811
fish meal, determining nutritional value, 661
GABA, in enhanced rotifer reproduction, 243
high-energy, protein/carbohydrate ratio, 517
HUFA-enriched
resistance to stress and, 91
shrimp ovarian maturation, 573
Indian catfish, biotin requirement, 709
Korean rockfish, enriched live feeds, 199
lipids *see* Lipids
live feeds, enriched, 199
macronutrient intake, 421
mango seeds, utilization and digestibility, 681
mysids, and enriched *Artemia* nauplii, 599
niacin requirement of Indian catfish, 157
palm kernel meal
effects of *A. flavus* contamination, 895
utilization and digestibility, 681
Penaeid prawns, and resistance to stress, 91
phytase and mineral availability, 583
pigment content and colour in Atlantic salmon, 103
protein *see* Protein
rainbow trout
effects of ingredient particle size, 885
phytase and mineral availability, 583
red snapper, protein/energy ratio, 811
river chub, lipid supplementation, 1005
rohu, beta-adrenergic agonist in, 739
rotifers, GABA-enhanced reproduction, 243
shrimp
effects of protein and energy levels on physiology, 531
growth and digestive enzyme activity, 257
ovarian maturation and dietary lipids, 573
silver perch
digestible protein requirements, 337
nutritional requirements, 57
soybean meal-based, 583, 895
tilapia, effects of *A. flavus* contamination, 895
turbot
effects of dietary water, 433
influence of fat content, 451
Digestibility
effects of feed ingredient particle size, 885
mango seeds, 681
palm kernel meal, 681
Digestive enzyme activity, shrimp, 125, 257
Digestive gland, shrimp, effects of protein and energy levels, 531

Ecological footprint methodology, 605
Economics
culture-based fisheries in Vietnam, 975
tilapia and catfish polyculture, 693
Eel, Australian shortfin, tank and pond culture, 833
Electrofusion, nuclear transfer in loach, 267
Energy
effects on shrimp physiology, 531
protein/carbohydrate ratio in high-energy diets, 517
protein/energy ratio
growth of carp, 349
for mangrove red snapper, 811
Enterocytes, intestinal, effect of dietary inulin, 931
Environmental goods and services, appropriation, 605
Epizootic ulcerative syndrome, 223
Excretion response, and feed ingredient particle size, 885

FADs (fish aggregating devices), prey selectivity at, 481
Fatty acids
in body composition of river chub, 1005
HUFA, and shrimp ovarian maturation, 573
Penaeid prawns and HUFA-enriched diet, 91
T-ISO, after preservation and storage, 565
Feed deprivation, and dynamics of appetite, 443
Feeding behaviour of trout strains, 471
Feeding frequency
effect on growth of African catfish, 999
feed consumption and growth of trout, 365
Feeding rates, and growth of cuttlefish, 923
Feed intake
density effects on largemouth bass, 495
effect on growth of African catfish, 999
effects of water temperature on shrimp, 305
feed budget model for trout, 465
feeding frequency, and growth of trout, 365
gastric emptying studies, 491
macronutrients, framework for study, 421
phototaxis and first-feeding of halibut larvae, 907
prey selectivity at FADs, 481
rainbow trout, cortisol effect on self-feeding activity, 503
rate, effects in spotted babylon, 689
sea bass, effects of environmental hypercapnia, 499
supply rate, and growth of perch, 459

© 2001 Blackwell Science Ltd.

turbot
effects of dietary water, 433
influence of fat content, 451
see also Appetite; Diet
Feminization, Far Eastern catfish, 323
Fertilization, in periphyton-based system, 749
Fiji, heterozygosity and growth performance in tilapia, 287
Fillets, Atlantic salmon, microstructure and texture, 1
Flavobacterium psychrophilum, skeletal deformities in rainbow trout, 235
Flounder, ultrasound assessment of sex and maturity, 113
FMC antiparasitic mixture, 405
Freezing/freeze-drying, effects on T-ISO, 565
Fungicidal activity against *A. invadans*, 223

GABA, in enhanced rotifer reproduction, 243
Gadus morhua L. *see* Cod, Atlantic
Gasterosteus aculeatus see Stickleback, three-spined
Gastric emptying, assays in rainbow trout, 491
Genetic factors
familial covariation between di- and triploid trout, 507
feminization of Far Eastern catfish, 323
heterozygosity and growth performance in tilapia, 287
mass selection for body colour in tilapia, 329
nuclear transfer in loach, 267
parameters for length/weight of coho salmon, 277
pectoral fin deformities in African catfish and hybrids, 21
production of all-female diploid and triploid catfish, 991
variability in coho salmon, 41
Geometric models, framework for nutrient regulation, 421
Glucose, stress response in South American catfish, 121
Goblet cells, disease susceptibility of Arctic charr, 935
Gonadal maturation
ovarian biopsy method, 379
role of ascorbic acid, 623
shrimp, and dietary lipids, 573
ultrasonographic assessment, 113
Gonia *see* Carp, Indian major
Growth
African catfish, effects of feeding time and frequency, 999
Atlantic cod, effect of light regimes, 549
Atlantic salmon, compensatory, and lipid metabolism, 963
Australian shortfin eels in tank and pond culture, 833
carp, effect of energy/protein ratio, 349
cuttlefish, feeding rates and feed conversion, 923 Far Eastern catfish
all-female diploid and triploid, 991
with feminization, 323
Korean rockfish, enriched live feeds, 199
largemouth bass, density effects, 495
mysids, and enriched *Artemia* nauplii, 599
perch, effect of feed supply rate, 459
rainbow trout
effects of feed ingredient particle size, 885
feed budget model, 465
feed consumption, 365
feeding behaviour of strains, 471
myosin expression levels in muscle, 315 red snapper, dietary protein/energy levels, 811
river chub, dietary lipid supplementation, 1005
rohu, beta-adrenergic agonist in diets, 739
shrimp
diets and digestive enzyme activity, 257
effects of protein and energy levels, 531
pond water and enzyme activity, 125
spotted babylon
effect of feeding rate, 689
in polyculture with sea bass, 247
tilapia, performance and heterozygosity, 287
T. pectoralis, in cultivated rice fields, 913
turbot
effects of dietary water, 433
influence of fat content in feed, 451
larvae from cryopreserved sperm, 133
wolffish, effect of temperature, 369
Gustatory sensitivity, Nile tilapia to amino acids, 217

Haddock, ultrasound assessment of sex and maturity, 113
Haemolymph, shrimp, and protein/energy levels, 531
Halibut, Atlantic
early weaning, 163
low temperature tolerance, 251
phototaxis, and first-feeding of larvae, 907
ultrasound assessment of sex and maturity, 113
Haliotis midae L. *see* Abalone, South African
Haliotis rubra (Leach) *see* Abalone, blacklip
Haslea ostrearia (Simonsen), outdoor mass culture, 801
Heterobranchus longifilis (Valenciennes) *see* Catfish, African
Heteropneustes fossilis (Bloch) *see* Catfish, Indian
Hippoglossus hippoglossus (Linnaeus) *see* Halibut, Atlantic
Historical aspects of aquaculture, 615
Homing, activity patterns of abalone, 169
Humic substances, and toxicity of FMC, 405
Hypercapnia, environmental, and sea bass, 499
Hypophthalmichthys molitrix see Carp, silver

Immune response, Penaeid prawns, 91
Immunogold method, 935
Induced spawning
Aquaspawn and carp pituitary, 357
Ovopel and carp pituitary, 11
Infectious cuticular epithelial necrosis virus (ICENV), in shrimp, 875
Inulin, effect on Arctic charr, 931
Isochrysis galbana clone T-ISO *see* T-ISO
IUNS (International Union of Nutritional Sciences), 611, 615, 657
Ivermectin, efficacy against *L. kroyeri*, 77

Jundiá, stress response, 121

Kenya, tilapia and catfish polyculture, 693

Labeo gonius (Linnaeus) *see* Carp, Indian major
Labeo rohita (Hamilton) *see* Carp, Indian major
Labeo senegalensis, utilization of tropical feedstuffs, 681
Larvae
halibut, phototaxis and first-feeding, 907
Korean rockfish, enriched live feeds, 199
M. monoceros, effect of salinity, 81
silver pomfret, hatchery technology, 849
turbot, growth from cryopreserved sperm, 133
Lates calcarifer see Sea bass
Lepeophtheirus salmonis see Salmon lice
Lernathropus kroyeri (Van Beneden), efficacy of ivermectin against, 77
Light intensity, growth and survival of Atlantic cod, 549
Lipids
dietary levels for red snapper, 811
dietary supplementation for river chub, 1005
in disease susceptibility of Arctic charr, 935
regulation, and compensatory growth in Atlantic salmon, 963
supplementation for river chub, 1005
Litopenaeus setiferus (Linne) *see* Shrimp, white

Litopenaeus vannamei (Boone) *see* Shrimp, Pacific white
Loach, nuclear transfer by electrofusion, 267
Locomotion, activity patterns of abalone, 169
Lutjanus argentimaculatus (Forsskal) *see* Snapper, mangrove red

Mango seeds, utilization and digestibility, 681
Mangrove, as biofilter for shrimp pond effluent, 787
Masheer, artificial substrates in pond culture, 189
Mass selection, for red body colour in tilapia, 329
Matrinxã, salt mitigation of transport stress, 297
Melanogrammus aeglefinus (Linnaeus) *see* Haddock
Membranes, response to environmental temperature, 645
Mesozooplankton, prey selectivity at FADs, 481
Metapenaeus monoceros (Fabricius), effect of salinity on larvae, 81
Metomidate, transport stress in Atlantic salmon, 87
Microalgae *see* Algae
Micropterus salmoïdes see Bass, largemouth
Minerals, effect of phytase on availability, 583
Minnow, dynamics of appetite, 443
Moonlight, activity patterns of abalone, 169
Mrigal *see* Carp, Indian major
Myosin expression levels in trout muscle, 315
Mysidopsis almyra (Bowman) *see* Mysid shrimp
Mysid shrimp, culture with enriched *Artemia* nauplii, 599

New Zealand, potential new aquaculture species, 717, 727
Nitrogen excretion, shrimp, 531
Nordotis discus (Reeve), activity patterns, 169
Nordotis gigantea (Gmelin), activity patterns, 169
Nuclear transfer in loach, 267
Nutrition
  determining value of fish meals and aquafeeds, 661
  historical aspects, 615
  myosin expression levels in trout muscle, 315
  requirements of silver perch, 57
  research priorities, 611
  role of IUNS, 611, 615, 657
  shrimp, applications of research in Taiwan, 639

Oestradiol-17β, feminization of catfish, 323
Oncorhynchus kisutch (Walbaum) *see* Salmon, coho
Oncorhynchus mykiss (Walbaum) *see* Trout, rainbow
Oreochromis mossambicus see Tilapia
Oreochromis niloticus L. *see* Tilapia, Nile
Osmotic pressure, shrimp, 531
Ovarian biopsy method, in sea bass, 379
Ovarian maturation, shrimp, 573
Ovopel, in artificial spawning of catfish, 11
Oxygen consumption, shrimp, 531
Oxytetracycline, skeletal deformities in rainbow trout, 235
Oyster greening, 801

Pacifastacus leniusculus (Dana) *see* Crayfish, freshwater
Palm kernel meal
  effects of *A. flavus* contamination, 895
  utilization and digestibility, 681
Pampus argenteus (Euphrasen) *see* Pomfret, silver
Paramisgurnus dabryanus (Sauvage) *see* Loach
Passive integrated transponder (PIT) tags, 47
Pectoral fin deformities, in African catfish and hybrids, 21
Penaeid shrimp
  effect of salinity on *M. monoceros* larvae, 81
  HUFA-enriched diet and resistance to stress, 91
Penaeus (Marsupenaeus) japonicus (Bate) *see* Shrimp, kuruma
Penaeus monodon (Fabricius) *see* Shrimp, giant tiger
Penaeus stylirostris, resistance to stress, 91
Perca fluviatilis see Perch, Eurasian
Perch
  Eurasian, effect of feed supply rate on growth, 459
  silver
    digestible protein requirements, 337
    nutritional requirements, 57
Periphyton-based culture, 189, 209, 749
pH, and motility of ayu sperm, 385
Phosphatase activity, in pond systems, 819
Phospholipids, and fish membrane responses, 645
Phosphorus, and phosphatase activity in pond systems, 819
Photoperiod, growth and survival of Atlantic cod, 549
Phototaxis, and first-feeding of halibut larvae, 907
Phoxinus phoxinus see Minnow
Phytase, effect on mineral availability, 583
Pigment content and colour in Atlantic salmon, 103
Pituitary extract, carp, in artificial spawning, 11, 357
Plecoglossus altivelis Temminck et Schlegel (Osmeridae) *see* Ayu
Polyculture
  spotted babylon and sea bass, 247
  tilapia and catfish in Kenya, 693
Pomfret, silver, hatchery technology, 849
Pond systems
  Australian shortfin eels in, 833
  optimum block size in experiments, 65
  periphyton-based culture, 189, 209, 749
  phosphatase activity, bacteria and phosphorus in, 819
  shrimp
    effectiveness of bioremediation, 181
    effects of water on enzyme activity, 125
    use of mangrove to treat effluent, 787
Prawns, diet and resistance to stress, 91
Prey selectivity at FADs, 481
Protease, digestive, in blacklip abalone, 95
Protein
  effect of phytase on availability, 583
  effect of source on abalone growth, 393
  effects on shrimp physiology, 531
  energy/protein ratio
    growth of carp, 349
    for mangrove red snapper, 811
  nutritional requirements of silver perch, 57, 337
  protein/carbohydrate ratio in high-energy diets, 517
  in rohu diets, and β-adrenergic agonist, 739
Pyrethrum-based delousing treatments, 701

Radiography *in situ*, and macrocapsules, 491
Radiology, skeletal deformities in rainbow trout, 235
Red snapper *see* Snapper
Reproductive performance
  brill, aquaculture potential, 717
  New Zealand turbot, aquaculture potential, 717
  role of ascorbic acid, 623
  rotifers, GABA-enhanced, 243
Rhamdia quelen (Quoy & Gaimard) *see* Catfish, South American
Rice fields, growth performance of *T. pectoralis*, 913
Rockfish, Korean, survival and growth rates, 199
Rohu *see* Carp, Indian major
Rotifers
  in enriched live feeds, 199
  low-temperature preservation, 29
  use of GABA to enhance reproduction, 243

Salbutamol, in rohu fingerlings diets, 739
Salinity, effect on *M. monoceros* larvae, 81
Salmon

© 2001 Blackwell Science Ltd.

Atlantic
compensatory growth and lipid metabolism, 963
microstructure and texture of fillets, 1
pigment content and colour, 103
protein/carbohydrate ratio in high-energy diets, 517
pyrethrum-based delousing treatments, 701
transport stress and anaesthesia, 87
coho
genetic and phenotypic parameters, 277
genetic variability, 41
Salmonids
effects of aquaculture on salmon lice infection, 947
farmed, quality of, 767
Salmon lice
effects of aquaculture on wild fish populations, 947
pyrethrum-based treatments, 701
Salmo salar L. *see* Salmon, Atlantic
Salmo trutta L. *see* Trout, sea
Salt, mitigation of transport stress in matrinxã, 297
Salvelinus alpinus L. *see* Charr, Arctic
Scophthalmus maximus L. *see* Turbot
Sea bass
C. medius, ovarian biopsy method, 379
D. labrax
effects of environmental hypercapnia, 499
efficacy of ivermectin against *L. kroyeri*, 77
L. calcarifer, in polyculture with spotted babylon, 247
Sea bream, gilthead, stress response consistency, 593
Sea lice *see* Salmon lice
Sebastes schlegeli (Hilgendorf) *see* Rockfish, Korean
Sensory characteristics, of farmed salmonids, 767
Sepia officinalis (Linnaeus) *see* Cuttlefish
Sex determination, ultrasonography, 113
Shrimp
applications of nutrition research in Taiwan, 639
effect of salinity on *M. monoceros* larvae, 81
kuruma, effects of water temperature, 305
Pacific white
diets and digestive enzyme activity, 257
dual infection by ICENV and *Chlamydia*-like organism, 875
effects of pond water on enzyme activity, 125
effects of protein and energy levels on physiology, 531
ovarian maturation, 573
tiger
bioremediation of ponds, 181
cold anaesthetization and transport, 145
use of mangrove to treat pond effluent, 787
white, effects of protein and energy levels on physiology, 531
see also Mysid shrimp, Penaeid shrimp
Silurus asotus (Linnaeus) *see* Catfish, Far Eastern
Silurus glanis L. *see* Catfish, European
Snapper, red mangrove, dietary protein and energy levels, 811
South Africa, abalone cultivation, 863
Soybean meal-based diets, 583, 895
Sparus aurata (Linnaeus) *see* Sea bream, gilthead
Spawning *see* Induced spawning
Sperm
ayu, control of motility in, 385
carp, volume dynamics, 51
cryopreserved, growth of turbot larvae, 133
Statistical aspects, block size in pond experiments, 65
Stickleback, three-spined, dynamics of appetite, 443
Stocking density, effects on largemouth bass, 495
Stress
consistency of response in gilthead sea bream, 593
response in South American catfish, 121
salt mitigation in transport, 297
tilapia fry quality testing, 671
transport and anaesthesia in Atlantic salmon, 87
Sulculus aquatilis (Reeve), activity patterns, 169
Survival
Atlantic cod, effect of light regimes, 549
Atlantic halibut, phototaxis and first-feeding of larvae, 907
Australian shortfin eels in tank and pond culture, 833
Far Eastern catfish, all-female diploid and triploid, 991
Korean rockfish, enriched live feeds, 199
mysids, and enriched *Artemia* nauplii, 599
red snapper, dietary protein/energy levels, 811
shrimp, effects of water temperature, 305
spotted babylon, effect of feeding rate, 689

Tagging, passive integrated transponder, 47
Taiwan, applications of nutrition research, 639
Tank systems, Australian shortfin eels, 833
Temperature
cold anaesthetization of shrimp, 145
effects on development and growth of wolffish, 369
effects on growth of cuttlefish, 923
effects on shrimp, 305
environmental, response of fish membranes, 645
low, and preservation of marine rotifers, 29
low, tolerance of halibut and turbot, 251
Tilapia
effects of *A. flavus* contamination of diet, 895
hybrid, mass selection for red body colour, 329
Nile
fry quality testing, 671
gustatory responses to amino acids, 217
heterozygosity and growth performance, 287
polyculture with catfish, 693
sensitivity to botulinum toxins, 761
T-ISO, effects of preservation and storage, 565
Tor khudree (Sykes) *see* Masheer
Toxicity
antiparasitic mixture FMC, 405
C. botulinum toxins and tilapia, 761
Trachurus spp., prey selectivity at FADs, 481
Transportation
anaesthesia and stress in Atlantic salmon, 87
cold anaesthetization of live shrimp, 145
salt mitigation of stress in matrinxã, 297
Trichogaster pectoralis (Regan), growth in rice fields, 913
Trout
rainbow
cortisol effect on self-feeding activity, 503
covariation between di- and triploid progenies, 507
effects of feed ingredient particle size, 885
feed budget model, 465
feed consumption and growth, 365
feeding behaviour of fast and slow growing strains, 471
myosin expression levels in muscle, 315
phytase and mineral availability, 583
skeletal deformities, 235
sea, effects of salmon lice infection, 947
Turbot
cryopreserved sperm and larval growth, 133
effects of dietary water on appetite and growth, 433
influence of fat content in feed, 451
low temperature tolerance, 251
New Zealand, aquaculture potential, 717, 727

Ultrasonography, assessment of sex and maturity, 113

Vietnam, culture-based fisheries in reservoirs, 975
Vitamins
  biotin requirement of catfish, 709
  niacin requirement of catfish, 157
  role of vitamin C in reproduction, 623
Vitellogenin level, shrimp, and dietary lipids, 573

Water
  dietary, and appetite and growth of turbot, 433
  quality
    bioremediation in shrimp ponds, 181
    use of mangrove to treat shrimp pond effluent, 787
Weaning, early, of Atlantic halibut, 163
Wolffish, spotted, development and growth, 369

Yield
  from freshwater crayfish in Britain, 411
  quality of farmed salmonids, 767

Zacco barbata (Regan) *see* Chub, river
Zebrafish, FMC toxicity and humic substances, 405

© 2001 Blackwell Science Ltd.